

Your search matched **3** of **1047691** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Plasma damage reduction for high density plasma CVD phosphosilicate glass process

Sunway Chen; Chu-Yun Fu; Syun-Ming Jang; Chen-Hua Yu; Mong-Song Liang;
Plasma- and Process-Induced Damage, 2002 7th International Symposium on , 5-7 June 2002
Pages:76 - 79

[\[Abstract\]](#) [\[PDF Full-Text \(268 KB\)\]](#) **IEEE CNF**

2 Impact of radical oxynitridation on characteristics and reliability of sub-1.5 nm-thick gate-dielectric FETs with narrow channel and shallow-trench isolation

Togo, M.; Watanabe, K.; Terai, M.; Fukai, T.; Narihiro, M.; Arai, K.; Koyama, S.; Ikezawa, N.; Tatsumi, T.; Mogami, T.;
Electron Devices Meeting, 2001. IEDM Technical Digest. International , 2-5 Dec. 2001
Pages:37.2.1 - 37.2.4

[\[Abstract\]](#) [\[PDF Full-Text \(348 KB\)\]](#) **IEEE CNF**

3 A simple neural model for fuzzy reasoning

Tome, J.A.B.;
Fuzzy Systems, 1993., Second IEEE International Conference on , 28 March-1 April 1993
Pages:624 - 628 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(240 KB\)\]](#) **IEEE CNF**

Your search matched **11** of **1047691** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 **New start-up schemes for isolated full-bridge boost converters**

Lizhi Zhu; Kunrong Wang; Lee, F.C.; Jih-Sheng Lai;

Power Electronics, IEEE Transactions on , Volume: 18 , Issue: 4 , July 2003

Pages:946 - 951

[\[Abstract\]](#) [\[PDF Full-Text \(566 KB\)\]](#) **IEEE JNL**

2 **Using Zernike moments for the illumination and geometry invariant classification of multispectral texture**

Lizhi Wang; Healey, G.;

Image Processing, IEEE Transactions on , Volume: 7 , Issue: 2 , Feb. 1998

Pages:196 - 203

[\[Abstract\]](#) [\[PDF Full-Text \(392 KB\)\]](#) **IEEE JNL**

3 **New start-up schemes for isolated full-bridge boost converters**

Lizhi Zhu; Kunrong Wang; Lee, F.C.; Jih-Sheng Lai;

Applied Power Electronics Conference and Exposition, 2000. APEC 2000. Fifteenth Annual IEEE , Volume: 1 , 6-10 Feb. 2000

Pages:309 - 313 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(364 KB\)\]](#) **IEEE CNF**

4 **Design, implementation, and experimental results of bi-directional full-bridge DC/DC converter with unified soft-switching scheme and soft-starting capability**

Kunrong Wang; Lizhi Zhu; Dayu Qu; Odendaal, H.; Lai, J.; Lee, F.C.;

Power Electronics Specialists Conference, 2000. PESC 00. 2000 IEEE 31st Annual , Volume: 2 , 18-23 June 2000

Pages:1058 - 1063 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(572 KB\)\]](#) **IEEE CNF**

5 **Parasitic ringing and design issues of high power interleaved boost converters**

Xudong Huang; Xiaoyan Wang; Ferrell, J.; Nergaard, T.; Jih-Sheng Lai; Xingyi Xu; Lizhi Zhu;

Power Electronics Specialists Conference, 2002. pesc 02. 2002 IEEE 33rd

Annual , Volume: 1 , 23-27 June 2002
Pages:30 - 35 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(657 KB\)\]](#) IEEE CNF

6 An overview of World Wide Web caching

Mingkuan Liu; Fei-Yue Wang; Zeng, D.; Lizhi Yang;

Systems, Man, and Cybernetics, 2001 IEEE International Conference on , Volume: 5 , 7-10 Oct. 2001

Pages:3045 - 3050 vol.5

[\[Abstract\]](#) [\[PDF Full-Text \(515 KB\)\]](#) IEEE CNF

7 The study on the feasibility of DSM for Beijing

Zeng Ming; Zhao Lizhi; Liu Baohua; Wang Baoqing; Liu Gendong; Zhao Lei;

Power System Technology, 1998. Proceedings. POWERCON '98. 1998 International Conference on , Volume: 1 , 18-21 Aug. 1998

Pages:302 - 306 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(380 KB\)\]](#) IEEE CNF

8 Segmenting 3-D surfaces using multicolored illumination

Healey, G.; Lizhi Wang;

Computer Vision and Pattern Recognition, 1998. Proceedings. 1998 IEEE Computer Society Conference on , 23-25 June 1998

Pages:384 - 389

[\[Abstract\]](#) [\[PDF Full-Text \(208 KB\)\]](#) IEEE CNF

9 The illumination-invariant recognition of color texture

Healey, G.; Lizhi Wang;

Computer Vision, 1995. Proceedings., Fifth International Conference on , 20-23 June 1995

Pages:128 - 133

[\[Abstract\]](#) [\[PDF Full-Text \(480 KB\)\]](#) IEEE CNF

10 On the stability of N-dimensional (N-D) digital filters in the presence of nonessential singularity of the second kind (NSSK)

Wang Lizhi; Du Xiyu;

Circuits and Systems, 1990., IEEE International Symposium on , 1-3 May 1990

Pages:3005 - 3007 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(192 KB\)\]](#) IEEE CNF

11 On nonessential singularities of the second kind in T²U for 3-D digital filters

Wang Lizhi; Du Xiyu;

Circuits and Systems, 1990., IEEE International Symposium on , 1-3 May 1990

Pages:3002 - 3004 vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(144 KB\)\]](#) IEEE CNF

L Number	Hits	Search Text	DB	Time stamp
-	13	5629752.pn. 5539523.pn. 5561718.pn. 5715325.pn. 5781650.pn. 5802361.pn. 5832115.pn. 5835616.pn. 5850463.pn. 5852669.pn. 5864630.pn. 5940530.pn. 5642431.pn. ("6445835").PN.	USPAT; US-PGPUB	2004/06/29 09:20
-	1	JP-63080242-\$.did. JP-04346332-\$.did. JP-06160993-\$.did.	USPAT; US-PGPUB	2004/06/29 09:21
-	3	wang-lizhi\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/29 09:24
-	6	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and (face or facial or head) same (color with (gradient or gradation or change or sobel) with (low\$2 or less\$2 or smaller or unchang\$3 or below or under or threshold\$3 or smooth or smoothly or uniform\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 09:23
-	37	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and (face or facial or head) same ((color adj chang\$3 or gradient or gradation or sobel) with (low\$2 or less\$2 or smaller or unchang\$3 or below or under or threshold\$3 or smooth or smoothly or uniform\$3))	USPAT; US-PGPUB	2004/06/29 09:27
-	87	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and (face or facial or head) same ((color adj chang\$3 or gradient or gradation or sobel) with (low\$2 or less\$2 or smaller or unchang\$3 or below or under or threshold\$3 or smooth or smoothly or uniform\$3))	USPAT; US-PGPUB	2004/06/29 09:38
-	26	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and (face or facial) and (face or facial or head or area or region or pixels! or portion) same color near (gradient or uniform\$2) with (intensity or brightness or luminance)	USPAT; US-PGPUB	2004/06/29 10:06
-	65	(face or facial) and (face or facial or head or area or region or pixels! or portion) same (color near gradient) same (intensity or brightness or luminance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:05
-	24	(face or facial or head) same color near (gradient or uniform\$2) with (intensity or brightness or luminance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:07
-	11	((human or person\$3 or recogni\$4 or identify\$3 or identification) near face or facial) and (gradient with (low\$2 or less\$2 or smaller or unchang\$3 or below or under or smooth or smoothly or uniform\$3)) same ((intensity or brightness or luminance) with (above or high\$3 or large\$1 or greater or bright\$2 or increased))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 10:14
-	82	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and ((human or person\$3 or recogni\$4 or identify\$3 or identification) near face or facial) and (gradient with (low\$2 or less\$2 or smaller or unchang\$3 or below or under or smooth or smoothly))	USPAT; US-PGPUB	2004/06/29 10:25
-	95	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and (facial or area or region or pixels! or portion or window or mask) same (gradient with (low\$2 or less\$2 or smaller or unchang\$3 or below or under or smooth or smoothly)) same ((intensity or brightness or luminance) with (above or high\$3 or large\$1 or greater or bright\$2 or increased))	USPAT; US-PGPUB	2004/06/29 10:25

-	105	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and ((human or person\$3 or recogni\$4 or identify\$3 or identification) near face or facial) same (intensity or brightness or luminance) with (above or high\$3 or large\$1 or greater or bright\$2 or increased)	USPAT; US-PGPUB	2004/06/29 10:26
-	55	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and ((human or person\$3 or recogni\$4 or identify\$3 or identification) near face or facial or head or skin) same (area or region or pixels! or portion or window or mask or map\$4) with ((gradient or chang\$3 or vary\$3 or varies or variance) near\$3 (low\$2 or less\$2 or smaller or unchang\$3 or below or under or smooth or smoothly or uniform\$2 or gradual\$2 or slow\$2))	USPAT; US-PGPUB	2004/06/29 10:26
-	63	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and ((human or person\$3 or recogni\$4 or identify\$3 or identification) near (face or facial) or area or region or pixels! or portion or window or mask or map\$4) same (gradient or smooth or smoothly or smoothness or texture or uniform\$3) with (intensity or bright\$4 or luminance or white) with ("AND".u/c. or conjunction or (logical or boolean) adj "and" or combination)	USPAT; US-PGPUB	2004/06/29 10:29
-	42	((human or person\$3 or recogni\$4 or identify\$3 or identification) near (face or facial) or area or region or pixels! or window or mask) same (gradient or smooth or smoothly or smoothness or uniform\$3) with (intensity or bright\$4 or luminance) with ("AND".u/c. or conjunction or (logical or boolean) near2 "and")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:07
-	231	((human or person\$3 or recogni\$4 or identify\$3 or identification) or locat\$3 or tracking or extract\$3) with (face or facial or area or region or pixels! or window) same (gradient or chang\$3 or gradation or variation or variance) with (smooth or smoothly or smoothness or uniform\$3 or low\$2 or small\$2 or less\$2 or unchang\$3 or flat) same ((high\$3 or large\$2 or great\$3 or bright\$3 or increased or maximum or white) near2 (intensity or brightness or luminance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:15
-	6	((human or person\$3 or recogni\$4 or identify\$3 or identification) or locat\$3 or tracking or extract\$3) with (face or facial or area or region or pixels! or window) same (gradient or chang\$3 or gradation or variation or variance or color) with (smooth or smoothly or smoothness or uniform\$3 or low\$2 or small\$2 or less\$2 or unchang\$3 or flat) same ((high\$3 or large\$2 or great\$3 or bright\$3 or increased or maximum or white) near2 (intensity or brightness or luminance)) same ("AND".u/c. or conjunction or (logical or boolean) near2 "and")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:27
-	49	((human or person\$3 or recogni\$4 or identify\$3 or identification) or locat\$3 or tracking or extract\$3) with (face or facial or area or region or pixels! or window) same (gradient or gradation or chang\$3 or color or vary\$3 or differences!) with (smooth or smoothly or smoothness or uniform\$3 or unchang\$3 or flat) same ((high??\$1 or large??\$1 or great??\$1 or bright??\$1 or increased or maximum or white) near2 (intensity or brightness or luminance or density))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:38
-	198	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and ((human or person\$3 or recogni\$4 or identify\$3 or identification) or locat\$3 or tracking or extract\$3) with (face or facial or area or region or pixels! or window) same (gradient or gradation or chang\$3 or color or vary\$3 or differences!) with (smooth or smoothly or smoothness or uniform\$3 or unchang\$3 or flat) same ((high??\$1 or large??\$1 or great??\$1 or bright??\$1 or increased or maximum or white) near2 (intensity or brightness or luminance or density))	USPAT; US-PGPUB	2004/06/29 11:44
-	23	(382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and ((face or facial) same (grad\$5 or (color near (rate or chang\$3 or uniform\$3)) or smooth\$2 or sobel) with (threshold\$3 or normali\$6)	USPAT; US-PGPUB	2004/06/29 11:54

-	89	382/103,115,118,164,165,190,199,203,274,276.ccls. and (face or facial) and (grad\$6 or (color near (rate or chang\$3 or uniform\$3)) or smooth\$2 or sobel) with (threshold\$3 or normali\$6)	USPAT; US-PGPUB	2004/06/29 11:56
-	63	382/103,115,118,164,165,190,274,276.ccls. and (face or facial) and (grad\$6 or (rate near chang\$3) or smooth\$2 or sobel) with (threshold\$3 or normali\$6)	USPAT; US-PGPUB	2004/06/29 12:10
-	5	382/103,115,118,164,165,190,199,203,274,276.ccls. and (face or facial) and (grad\$6 near\$5 (rate or chang\$3)) with (threshold\$3 or normali\$6)	USPAT; US-PGPUB	2004/06/29 12:13
-	2	340/5.52,5.53,5.8-5.83.ccls. and (face or facial) and (grad\$6 or (rate near chang\$3) or smooth\$2 or sobel) with (threshold\$3 or normali\$6)	USPAT; US-PGPUB	2004/06/29 12:13
-	34	340/5.52,5.53,5.8-5.83.ccls. and (face or facial) same (candidate or gradient or gradation or intensity or smooth\$4 or bright\$4 or hue or saturation or sobel or threshold or normali\$6 or erod\$3 or erosion or morph\$3 or morphologic\$2 or ellipse or oval or edge or bound\$3 or mosaic) (382/\$.ccls. or 348/\$.ccls. or 340/\$.ccls.) and (face or facial or head) same (contrast) near\$2 (low\$2 or less\$2 or smaller or unchang\$3 or below or under or threshold\$3 or smooth or smoothly)	USPAT; US-PGPUB	2004/06/29 12:17
-	17	5629752.URPN.	USPAT	2004/06/29 12:25
-	96	(skin or flesh or face or facial) same (area or region or window or ellip\$6 or block or neighborhood or circle or range or portion) with ("AND".u/c. or ANDed or ANDing or logical\$2 or boolean) same (imag\$3 or pixel or camera or CCD or picture or pel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:53
-	36	(face or facial or skin or flesh) with (color or hue or saturation) with ((high\$3 or greater or more or larger) near intensity or (low\$3 or little or less\$2 or under) near density or bright) with (smooth or smoothly or uniform\$3 or flat or (contrast or gradient or gradation) near (low or little or no or less or under))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:31